

**Walk-Behind Scrubber Series** 



YOUR TOUGHEST JOBS. **DONE.** 

# GENESYS'

There is a reason why it is called GeneSys<sup>™</sup>.

This new Walk-Behind Scrubber Series — designed, developed, and assembled at our new headquarters in Bowling Green, Ohio - is the next generation of auto scrubbers. Co-developed with industry experts, each detail has been scrutinized for an unparalleled customer experience.

Power to spare allows you to perform cleaning or project work faster and with less effort. Plus, smart technologies make your operation more efficient at a lower cost.

#### Clean faster with less effort and cost!

You are the one who picks the V8 engine because you know that when you need the extra power, it has got to be there. That is why the **GeneSys**<sup>™</sup> boasts the best performance specifications in its class. You won't be left hanging.



# GeneSys<sup>™</sup> 20

25% More Horsepower\* 50% More Down Pressure\*

#### SMART, PROBLEM SOLVING TECHNOLOGIES



#### SoliChem<sup>™</sup> Technology ↑

This is the first-ever on-board chemical dispensing system that utilizes chemical solids, resulting in:

- Up to 80% lower daily chemical costs
- · Alleviation of mixing hassles and waste
- · Increased sustainability with less water and packaging

#### SoliChem Chemicals

DAILY: pH7 Ultra

**DEGREASER: Probiotic Solutions Grease Solv** 

### SoliChem included standard on all GeneSys Mid-Size Scrubbers!



Patented SoliChem Misting Chamber



33% More Horsepower\*

50% More Down Pressure\*\*

36% More RPMs\*

#### Fortify<sup>™</sup> Asset Protection and Management Suite

Fortify  $^{\scriptscriptstyle{\text{M}}}$  is a suite of features and technologies that reduces the cost of ownership while extending machine life.

Make the smart decision and buy the Betco® GeneSys Scrubber to help manage your long-term operations.

- · Wet Battery Protection System
- Tank Defoaming System †
- · Programmable Timer Lock-out
- Foam De-Misting Chamber
- · Scrub Deck Service Panel
- 10 / 3 / 3 Warranty



# **Airoflex**<sup>®</sup>

#### Airoflex<sup>®</sup> is the Most Advanced Squeegee on the Market

The GeneSys scrubbers are also first to include as a standard feature the most advanced squeegee on the market, Airoflex®. This specialized blade increases vacuum performance by up to 40%, leaving your floors drier and safer than the competition.

And if you have grouted tile, textured or porous floors, these blades are a must have as they maintain the vacuum force better than traditional squeegees.

## **Best Drying Performance!**



Airoflex<sup>®</sup> is a registered trademark of the Midwest Rubber Company

# **GeneSys™ Walk-Behind Scrubbers - Specifications**

	GeneSys <sup>™</sup> 20-inch Scrubbers			GeneSys <sup>™</sup> Mid-Size Scrubbers			
SPECIFICATIONS	GeneSys <sup>™</sup> 20D	GeneSys <sup>™</sup> 20DT	GeneSys <sup>™</sup> 20ORB	GeneSys <sup>™</sup> 26D	GeneSys™ 28D	GeneSys <sup>™</sup> 28ORB	GeneSys <sup>™</sup> 32D
Productivity (ft <sup>2</sup> / hr)	Up to 22,500	Up to 22,500	Up to 22,500	Up to 29,250	Up to 31,500	Up to 31,500	Up to 36,000
Scrub Deck	20 - in Disk	20 - in Disk	20 - in x 14-in Orbital	26 - in Disk	28 - in Disk	28 - in x 14 - in Orbital	32 - in Disk
Pad / Brush Dimensions	(1) 20 in	(1) 20 in	(1) 14 in x 20 in Rectangle	(2) 13 in	(2) 14 in	(1) 14 in x 28 in Rectangle	(2) 16 in
Solution Tank	13 - gal	13 - gal	13 - gal	25 - gal	25 - gal	25 - gal	25 - gal
Recovery Tank	15 - gal	15 - gal	15 - gal	28 - gal	28 - gal	28 - gal	28 - gal
Drive System	Pad Assist	Transaxle	Transaxle	Transaxle	Transaxle	Transaxle	Transaxle
Brush Motor(s)	(1) 1.0 HP	(1) 1.0 HP	(1) 0.75 HP	(2) 1.0 HP	(2) 1.0 HP	(1) 0.75 HP	(2) 1.0 HP
Pad Speed	230 RPM	230 RPM	2200 RPM	300 RPM	300 RPM	2200 RPM	300 RPM
Down Pressures	60 lb & 100 lb	60, 80 & 100 lb	60, 85 & 110 lb	60, 120 & 180 lb	60, 120 & 185 lb	60, 120 & 185 lb	60, 120 & 185 lb
Battery Options	130 AH Wet 110 AH AGM	60 AH Li-Ion 120 AH Li-Ion 130 & 150 AH Wet 110 AH AGM	60 AH Li-Ion 120 AH Li-Ion 130 & 150 AH Wet 110 AH AGM	150 AH Li-lon 200 AH Li-lon 260 AH Wet 220 AH AGM	150 AH Li-lon 200 AH Li-lon 260 AH Wet 220 AH AGM	150 AH Li-lon 200 AH Li-lon 260 AH Wet 220 AH AGM	150 AH Li-lon 200 AH Li-lon 260 AH Wet 220 AH AGM
Run Time	Up to 3 hr	Up to 3 hr	Up to 3.5 hr	Up to 4.5 hr	Up to 4.5 hr	Up to 5.5 hr	Up to 4.0 hr
Solution Flow	0 - 0.5 gpm	0 - 0.5 gpm	0 - 0.5 gpm	0 - 0.75 gpm	0 - 0.75 gpm	0 - 0.75 gpm	0 - 0.75 gpm
Vac Motor / Filter	0.62 HP / HEPA	0.62 HP / HEPA	0.62 HP / HEPA	0.72 HP / HEPA			
Sound Levels	≤65 dBa	≤65 dBa	≤65 dBa	≤65 dBa	≤65 dBa	≤65 dBa	≤65 dBa
Machine Weight (Largest Battery)	375 lb	425 lb	425 lb	625 lb	630 lb	630 lb	640 lb
Machine Dimensions	51 in x 21 in x 42 in	51 in x 21 in x 42 in	46 in x 21 in x 42 in	55 in x 28 in x 44 in	56 in x 30 in x 44 in	54 in x 29 in x 44 in	59 in x 34 in x 44 in
Squeegee Width	30 in	30 in	30 in	35 in	40 in	40 in	45 in
Warranty*	10 - Years Rotomold 3 - Years Parts/Labor 180 - Days Travel 1 - Year Pro-rated Batteries	10 - Years Rotomold 3 - Years Parts/Labor 180 - Days Travel 1 - 5 Year Pro-rated Batteries	10 - Years Rotomold 3 - Years Parts/Labor 180 - Days Travel 1 - 5 Year Pro-rated Batteries	10 - Years Rotomold 3 - Years Parts/Labor 180 - Days Travel 1 - 5 Year Pro-rated Batteries	10 - Years Rotomold 3 - Years Parts/Labor 180 - Days Travel 1 - 5 Year Pro-rated Batteries	10 - Years Rotomold 3 - Years Parts/Labor 180 - Days Travel 1 - 5 Year Pro-rated Batteries	10 - Years Rotomold 3 - Years Parts/Labor 180 - Days Travel 1 - 5 Year Pro-rated Batteries

#### **Key Options & Accessories**

Fortify™ Wet Battery Protection System
Fortify™ Programmable Timer Lock-out
Fortify™ Armor™ Telemetry & Reporting
Fortify™ Foam Control
SoliChem™ Chemicals:
Daily: pH7 Ultra
Degreaser: Probiotic Solutions Grease Solv

**Brushes:** General Purpose

\*See full warranty for details



©2025 Betco Corporation All Rights Reserved. 400 Van Camp Road Bowling Green, Ohio 43402







